

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/820052

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Monday
Date: 8/28/2006
Time: 14:22:27

 **PALM INTRANET**

Inventor Information for 10/820052

| Inventor Name | City | State/Country |
|-------------------|----------|---------------|
| NAKAMURA, MAKOTO | KANAGAWA | JAPAN |
| KAKEGAWA, MIEKO | KANAGAWA | JAPAN |
| KAMOI, SUMIO | TOKYO | JAPAN |
| IMAMURA, TSUYOSHI | KANAGAWA | JAPAN |
| KOETSUKA, KYOHTA | KANAGAWA | JAPAN |
| KAMIYA, NORIYUKI | KANAGAWA | JAPAN |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|---|-----------|---------------------|---------------------------|
| US 20060201461 A1 | 20060914 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.15 | Nakamura; Makoto et al. |
| US 20060194450 A1 | 20060831 | Semiconductor device and fabrication process of semiconductor device | 438/785 | 257/632 | Nakamura; Makoto |
| US 20060193660 A1 | 20060831 | Developer-carrying member having improved transportability, a developing unit, a process cartridge and an image forming apparatus | 399/276 | | Imamura; Tsuyoshi |
| US 20060188293 A1 | 20060824 | Conductive member and process cartridge having it and image forming apparatus having the process cartridge | 399/176 | | Narita; Yutaka et al. |
| US 20060121204 A1 | 20060608 | Water-based intercoating composition and method of forming multilayered coating film | 427/402 | | Nakae; Yasukiho et al. |
| US 20060119333 A1 | 20060608 | Voltage conversion device and electric car | 323/282 | | Nakamura; Makoto |
| US 20060112917 A1 | 20060601 | Variable valve operating apparatus for internal combustion engine | 123/90.16 | 123/150; 123/90.27 | Nakamura; Makoto et al. |
| US 20060093046 A1 | 20060504 | Digital communication method and digital communication device | 375/242 | | Nakamura; Makoto |
| US 20060081207 A1 | 20060420 | Engine start control apparatus | 123/179.3 | | Nakamura; Makoto |
| US 20060037578 A1 | 20060223 | Cylinder cutoff control apparatus of internal combustion engine | 123/198F | 123/90.16 | Nakamura; Makoto |
| US 20060017229 A1 | 20060126 | Card game and methods of play | 273/292 | | Hayakawa; Kazumoto et al. |
| US 20060001482 A1 | 20060105 | Filter device | 327/552 | | Nakamura; Makoto et al. |
| US 20050281589 A1 | 20051222 | Method and apparatus for image forming capable of performing a stable image development | 399/254 | | Sakai, Kiyotaka et al. |
| US 20050186932 | 20050825 | Receiver circuit | 455/284 | 455/232.1; 455/63.1 | Kurimoto, Hidehiko et al. |

| | | | | | |
|-------------------------|----------|---|------------|---------------------------------|-------------------------------|
| A1 | | | | | |
| US 20050178350 A1 | 20050818 | Valve operating mechanism of internal combustion engine | 123/90.16 | 123/90.2; 123/90.27 | Nakamura, Makoto et al. |
| US 20050150620 A1 | 20050714 | Carbon fiber paper and porous carbon electrode substrate for fuel cell therefrom | 162/152 | 429/44 | Hamada, Mitsuo et al. |
| US 20050139183 A1 | 20050630 | Start control for internal combustion engine | 123/179.18 | | Nohara, Tsuneyasu et al. |
| US 20050135843 A1 | 20050623 | Developing roller, developing apparatus, process cartridge, and image formation apparatus | 399/276 | 399/277 | Kakegawa, Mieko et al. |
| US 20050111882 A1 | 20050526 | Image forming apparatus | 399/222 | 399/236 | Sudo, Kazuhisa et al. |
| US 20050100498 A1 | 20050512 | Porous carbon electrode substrate and its production method and carbon fiber paper | 423/445R | | Nakamura, Makoto et al. |
| US 20050100365 A1 | 20050512 | Conductive member and process cartridge and image forming apparatus using the same | 399/168 | | Narita, Yutaka et al. |
| US 20050063738 A1 | 20050324 | Development magnet roller, development device, process cartridge and image forming apparatus | 399/277 | | Kamiya, Noriyuki et al. |
| US 20050031374 A1 | 20050210 | Image forming apparatus having a detachable cartridge including a photoconductive drum with axis shaft having a minimal rotational eccentricity, and a method of assembling the image forming apparatus | 399/117 | | Nagashima, Hiroyuki et al. |
| US 20040258436 A1 | 20041223 | Long magnet, production method thereof, magnet roller and image forming device | 399/277 | 148/100; 399/279; 428/611 | Nakamura, Makoto et al. |
| US 20040237920 A1 | 20041202 | Valve actuation apparatus for internal combustion engine | 123/90.16 | 123/90.33 | Nakamura, Makoto et al. |
| US 20040234299 | 20041125 | Developing device and an image forming apparatus | 399/267 | 399/277 | Koetsuka, Kyohta et al. |

| | | | | | |
|-------------------------|----------|--|-----------|-----------------------------------|-------------------------------|
| A1 | | including the same | | | |
| US 20040227265 A1 | 20041118 | Apparatus and method for manufacturing resin-impregnated cured sheet, and apparatus and method for manufacturing carbonaceous material sheet | 264/29.1 | 264/175; 425/289; 425/371 | Nishida, Toshihiko et al. |
| US 20040219714 A1 | 20041104 | Non-contact data carrier and method of fabricating the same | 438/106 | 257/E23.064 | Yagi, Hiroshi et al. |
| US 20040182341 A1 | 20040923 | Variable valve control apparatus for internal combustion engine and method thereof | 123/90.16 | 123/90.17 | Machida, Kenichi et al. |
| US 20040165868 A1 | 20040826 | Motor drive control apparatus | 388/804 | | Sato, Eiji et al. |
| US 20040145338 A1 | 20040729 | Electric load apparatus electric load controlling method and computer readable recording medium recording program for causing computer to execute control of electric load | 318/801 | 318/434 | Nakamura, Makoto et al. |
| US 20040113118 A1 | 20040617 | Image forming apparatus and developing device therefor | 252/62.54 | 264/429 | Kamoi, Sumio et al. |
| US 20040041092 A1 | 20040304 | MASS SPECTROMETER AND ION DETECTOR USED THEREIN | 250/283 | 250/397 | Yamaguchi, Haruhisa et al. |
| US 20040031456 A1 | 20040219 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.15 | 123/90.12; 74/661 | Nakamura, Makoto et al. |
| US 20040018031 A1 | 20040129 | Developing device for an image forming apparatus and process cartridge including the same | 399/277 | | Imamura, Tsuyoshi et al. |
| US 20040017956 A1 | 20040129 | Crankshaft supporter | 384/433 | | Nakamura, Makoto |
| US 20040007344 A1 | 20040115 | Method for manufacturing a crankshaft supporter | 164/98 | 164/332; 164/340; 29/888.08 | Nakamura, Makoto |
| US 20040000229 A1 | 20040101 | Crankshaft supporter | 92/140 | 123/195R | Nakamura, Makoto |

| | | | | | |
|-------------------------|----------|---|-----------|--|---------------------------|
| US 20030226531 A1 | 20031211 | Valve mechanism of internal combustion engine | 123/90.16 | | Miyazato, Yoshiaki et al. |
| US 20030130405 A1 | 20030710 | Thermoplastic resin composition | 524/495 | 523/220; 524/496 | Takagi, Kiyoji et al. |
| US 20030122233 A1 | 20030703 | Non-contact data carrier and method of fabricating the same | 257/678 | 257/E23.064 | Yagi, Hiroshi et al. |
| US 20030086730 A1 | 20030508 | Roll and development apparatus using the same | 399/286 | | Nakamura, Makoto et al. |
| US 20030067278 A1 | 20030410 | Drive apparatus, control method for the drive apparatus, storage medium storing a program controlling the drive apparatus, and power output apparatus | 318/254 | | Nakamura, Makoto et al. |
| US 20030057914 A1 | 20030327 | Power outputting device and vehicle mounting it, control method, storing medium and program for the power outputting device, drive device and vehicle mounting it, and, control method, storing medium and program for the drive device | 318/727 | | Kamatsu, Masayuki et al. |
| US 20030049864 A1 | 20030313 | IMMUNOASSAY METHOD USING MAGNETIC MARKER PARTICLES | 436/518 | | NAKAMURA, MAKOTO et al. |
| US 20030019475 A1 | 20030130 | Apparatus and method for controlling an internal combustion engine | 123/405 | 123/478; 123/90.16 | Machida, Kenichi et al. |
| US 20020194367 A1 | 20021219 | Data relay method, its apparatus, and data relay system using the apparatus | 709/238 | | Nakamura, Makoto et al. |
| US 20020175073 A1 | 20021128 | Porous carbon electrode material, method for manufacturing the same, and carbon fiber paper | 204/294 | 204/284; 429/40; 429/42; 429/44 | Nakamura, Makoto et al. |
| US 20020166524 A1 | 20021114 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.15; 123/90.18 | Nakamura, Makoto et al. |
| US 20020117134 | 20020829 | Variable-valve-actuation apparatus for internal | 123/90.27 | 123/90.44; 123/90.45 | Nakamura, Makoto et al. |

| | | | | | |
|-------------------------|----------|--|-----------|---|------------------------------|
| A1 | | combustion engine | | | |
| US 20020114647 A1 | 20020822 | Developing device using a developing roller and image forming apparatus including the same | 399/267 | 399/277 | Imamura, Tsuyoshi et al. |
| US 20020088416 A1 | 20020711 | Variable valve operating system of internal combustion engine | 123/90.16 | 123/90.15; 123/90.18 | Nakamura, Makoto et al. |
| US 20020085863 A1 | 20020704 | Method and apparatus for image forming capable of effectively performing development | 399/286 | | Nakamura, Makoto et al. |
| US 20020078756 A1 | 20020627 | Pressure sensors | 73/718 | 73/724 | Akiyama, Morito et al. |
| US 20020037184 A1 | 20020328 | Development roller and developer unit using the same | 399/286 | | Nakamura, Makoto |
| US 20020035976 A1 | 20020328 | Variable valve system | 123/90.15 | 123/90.16 | Nakamura, Makoto et al. |
| US 20020029894 A1 | 20020314 | Resin sealed semiconductor device, circuit member for use therein and method of manufacturing circuit member | 174/527 | 174/549; 257/E23.039; 257/E23.046 | Yamada, Syuichi et al. |
| US 20020029842 A1 | 20020314 | Apparatus and method for manufacturing resin-impregnated cured sheet, and apparatus and method for manufacturing carbonaceous material sheet | 156/171 | 156/499; 156/543; 156/82 | Nishida, Toshihiko et al. |
| US 20020023601 A1 | 20020228 | Engine with two cylinder banks each with a valve operating device enabling variation of valve timing and valve lift characteristic | 123/90.15 | 123/90.17 | Nohara, Tsuneyasu et al. |
| US 20020007809 A1 | 20020124 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.15 | Miyazato, Yoshiaki et al. |
| US 20010053426 A1 | 20011220 | SEALING AGENT FOR LIQUID CRYSTAL DISPLAY AND LIQUID CRYSTAL DISPLAY USING THE SEALING AGENT | 428/1.53 | 257/E23.119; 428/1.5 | KAMOI, SUMIO et al. |

| | | | | | |
|-------------------------|----------|---|-----------|---|-----------------------------|
| US 20010052331 A1 | 20011220 | Valve timing and lift control system | 123/90.17 | 123/90.15 | Nakamura, Makoto |
| US 20010051692 A1 | 20011213 | Resin composition and molded article | 525/411 | | Kanamori, Takeshi et al. |
| US 20010010744 A1 | 20010802 | Optical module using wiring lead integrated resin substrate | 385/92 | | Shuto, Yoshito et al. |
| US 20010007285 A1 | 20010712 | Resin sealed semiconductor device, circuit member for use therein and method of manufacturing circuit member | 174/527 | 257/E23.039; 257/E23.046 | Yamada, Syuichi et al. |
| US 20010003973 A1 | 20010621 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.17 | Nakamura, Makoto et al. |
| US 7102903 B2 | 20060905 | Drive apparatus, control method for the drive apparatus, storage medium storing a program controlling the drive apparatus, and power output apparatus | 363/98 | 318/139; 318/799; 363/132 | Nakamura; Makoto et al. |
| US 7086381 B2 | 20060808 | Apparatus and method for controlling an internal combustion engine | 123/405 | 123/478; 123/90.16 | Machida; Kenichi et al. |
| US D525639 S | 20060725 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US D525638 S | 20060725 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US 7055476 B2 | 20060606 | Valve actuation apparatus for internal combustion engine | 123/90.16 | 123/90.15; 123/90.2; 123/90.31; 123/90.34 | Nakamura; Makoto et al. |
| US 7047921 B2 | 20060523 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.11; 123/90.15 | Nakamura; Makoto et al. |
| US 7027761 B2 | 20060411 | Developing device and an image forming apparatus including the same | 399/277 | 399/267 | Koetsuka; Kyohta et al. |
| US 7018844 B2 | 20060328 | Non-contact data carrier and method of fabricating the same | 436/106 | 257/E23.064; 438/107; 438/112; 438/127; 438/460; 438/464 | Yagi; Hiroshi et al. |

| | | | | | |
|------------------|----------|--|-----------|---|-------------------------------|
| US D516599 S | 20060307 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US 7008991 B2 | 20060307 | Thermoplastic resin composition | 524/496 | 252/511; 524/495 | Takagi; Kiyoji et al. |
| US D515606 S | 20060221 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US 6942391 B2 | 20050913 | Crankshaft supporter | 384/432 | 123/195R; 29/898.049 | Nakamura; Makoto |
| US 6920851 B2 | 20050726 | Variable valve control apparatus for internal combustion engine and method thereof | 123/90.16 | 123/345; 123/90.15 | Machida; Kenichi et al. |
| US D507586 S | 20050719 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US 6832065 B2 | 20041214 | Roll and development apparatus using the same | 399/286 | 492/56 | Nakamura; Makoto et al. |
| US D494611 S | 20040817 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto |
| US D494202 S | 20040810 | Digital still camera | D16/202 | D16/206 | Nakamura; Makoto |
| US 6774470 B2 | 20040810 | Non-contact data carrier and method of fabricating the same | 257/679 | 257/787; 257/E23.064 | Yagi; Hiroshi et al. |
| US 6713034 B2 | 20040330 | Porous carbon electrode material, method for manufacturing the same, and carbon fiber paper | 423/447.2 | 106/31.29; 423/447.1; 428/408; 526/341; 526/342; 527/400 | Nakamura; Makoto et al. |
| US 6707034 B1 | 20040316 | Mass spectrometer and ion detector used therein | 250/283 | 250/281 | Yamaguchi; Haruhisa et al. |
| US 6697593 B2 | 20040224 | Developing device using a developing roller and image forming apparatus including the same | 399/267 | 399/277; 492/18; 492/59 | Imamura; Tsuyoshi et al. |
| US 6694935 B2 | 20040224 | Valve mechanism of internal combustion engine | 123/90.16 | 123/90.15; 123/90.17; 123/90.31 | Miyazato; Yoshiaki et al. |
| US D486168 S | 20040203 | Digital still camera | D16/202 | | Nakamura; Makoto |
| US D484157 S | 20031223 | Digital still camera | D16/202 | D16/218 | Watanabe; Seiichi et al. |
| US 6658734 B2 | 20031209 | Method of manufacturing a circuit member for a resin- sealed semiconductor device | 29/854 | 257/666; 257/692; 257/E23.039; 257/E23.046; | Yamada; Syuichi et al. |

| | | | | | |
|------------------|----------|---|-----------|--|------------------------------|
| | | | | 29/846; 29/848; 29/856 | |
| US 6606911 B2 | 20030819 | Pressure sensors | 73/718 | 324/663; 361/283.4; 73/720 | Akiyama; Morito et al. |
| US 6598570 B2 | 20030729 | Variable valve system | 123/90.15 | 123/90.16 | Nakamura; Makoto et al. |
| US 6585426 B2 | 20030701 | Optical module using wiring lead integrated resin substrate | 385/90 | 385/88; 385/92; 385/94 | Shuto; Yoshito et al. |
| US 6575128 B2 | 20030610 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.15; 123/90.17; 123/90.18; 123/90.31 | Nakamura; Makoto et al. |
| US 6567638 B2 | 20030520 | Method and apparatus for image forming capable of effectively performing development | 399/286 | | Nakamura; Makoto et al. |
| US D473577 S | 20030422 | Digital still camera | D16/202 | D16/209 | Nakamura; Makoto |
| US 6550437 B2 | 20030422 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.16 | 123/90.6 | Nakamura; Makoto et al. |
| US 6522855 B1 | 20030218 | Image forming apparatus and developing apparatus preventing uneven image density | 399/274 | 399/284 | Katoh; Shunji et al. |
| US D470162 S | 20030211 | Digital still camera | D16/202 | D16/218 | Nakamura; Makoto et al. |
| US 6513469 B2 | 20030204 | Variable valve operating system of internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto et al. |
| US D469456 S | 20030128 | Digital still camera | D16/202 | D16/209 | Nakamura; Makoto et al. |
| US 6502535 B2 | 20030107 | Valve timing and lift control system | 123/90.15 | 123/90.16; 123/90.17; 123/90.23; 123/90.27; 123/90.31 | Nakamura; Makoto |
| US 6499454 B2 | 20021231 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.31 | 123/90.15; 123/90.16; 123/90.17; 123/90.27; 123/90.34; 123/90.6 | Miyazato; Yoshiaki et al. |

| | | | | | |
|------------------|----------|---|-----------|--|-----------------------------|
| US 6497206 B2 | 20021224 | Engine with two cylinder banks each with a valve operating device enabling variation of valve timing and valve lift characteristic | 123/90.16 | 123/54.4; 123/90.17 | Nohara; Tsuneyasu et al. |
| US 6473588 B2 | 20021029 | Development roller and developer unit using the same | 399/286 | 399/279 | Nakamura; Makoto |
| US 6465734 B2 | 20021015 | Resin sealed semiconductor device, circuit member for use therein and method of manufacturing circuit member | 174/549 | 257/692; 257/778; 257/E23.039; 257/E23.046 | Yamada; Syuichi et al. |
| US 6458514 B1 | 20021001 | Process for forming through holes in substrate of printed circuit board | 430/313 | 216/18; 430/318; 430/945 | Maa; Chong-Ren et al. |
| US 6428711 B1 | 20020806 | Purification method by mixing/diffusion of closed water zone and mixing/diffusion apparatus | 210/747 | 366/264; 366/270 | Nakamura; Makoto et al. |
| US 6427653 B1 | 20020806 | System for driving and controlling CAM for internal combustion engine | 123/90.17 | 123/90.18; 123/90.6; 74/568R | Hara; Seinosuke et al. |
| US 6401675 B1 | 20020611 | Variable valve gear device of internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto et al. |
| US 6390041 B2 | 20020521 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto et al. |
| US 6388784 B1 | 20020514 | Digital optical transmitter and digital optical receiver making communication by superposing subdata on modulated waveform of main data | 398/140 | 359/359; 398/106; 398/183 | Nakamura; Makoto et al. |
| US 6379759 B2 | 20020430 | Sealing agent for liquid crystal display and liquid crystal display using the sealing agent | 428/1.53 | 257/E23.119; 349/153; 349/190; 428/1.1; 428/1.5; 428/1.52 | Kamoi; Sumio et al. |
| US 6365657 B1 | 20020402 | Rubber product | 524/343 | 524/275; 524/570; 524/571 | Goto; Hideo et al. |
| US 6359221 B1 | 20020319 | Resin sealed semiconductor device, circuit member for use therein | 174/549 | 174/542; 257/676; 257/692; 257/737; | Yamada; Syuichi et al. |

| | | | | | |
|------------------|----------|--|-----------|---|-----------------------------|
| | | | | 257/738; 257/778; 257/E23.039; 257/E23.046 | |
| US 6340010 B1 | 20020122 | Valve operating device for internal combustion engine with variable valve timing and valve-lift characteristic mechanism | 123/90.16 | 123/90.39 | Hara; Seinosuke et al. |
| US 6337957 B1 | 20020108 | Image forming apparatus and developing device with improved self toner density control | 399/29 | 399/258 | Tamaki; Shinji et al. |
| US 6330415 B1 | 20011211 | Developing device and magnet roller for developing device | 399/277 | | Imamura; Tsuyoshi et al. |
| US 6287246 B1 | 20010911 | Development roller | 492/59 | 492/56 | Yoshii; Takayuki et al. |
| US 6262787 B1 | 20010717 | Polymer film liquid crystal display device | 349/96 | 349/122; 349/158 | Kamoi; Sumio et al. |
| US 6262184 B1 | 20010717 | Resin composition and molded article | 525/411 | 525/413; 525/439 | Kanamori; Takeshi et al. |
| US 6260523 B1 | 20010717 | Variable-valve-actuation apparatus for internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto et al. |
| US 6257182 B1 | 20010710 | Electromagnetic drive system for engine valve | 123/90.11 | 251/129.1; 251/129.16 | Hara; Seinosuke et al. |
| US 6235191 B1 | 20010522 | Water purifying apparatus capable of reliably preventing growth of bacteria during suspension of water supply by efficiently activating a sterilization unit | 210/85 | 210/138; 210/149; 210/192; 210/195.1; 210/87; 210/97; 422/186.3 | Nakamura; Makoto |
| US 6201292 B1 | 20010313 | Resin-sealed semiconductor device, circuit member used therefor | 257/666 | 257/676; 257/692; 257/E23.039; 257/E23.046 | Yagi; Hiroshi et al. |
| US 6198895 B1 | 20010306 | Developing device with improved developer circulation and toner density control | 399/267 | 399/274; 399/284 | Tsuda; Kiyonori et al. |
| US 6145338 A | 20001114 | High-temperature regenerator | 62/497 | | Nakamura; Makoto et al. |
| US 6123053 | 20000926 | Variable valve actuation | 123/90.16 | 123/90.17; | Hara; |

| | | | | | |
|--------------|----------|---|-----------|---------------------------------------|------------------------------|
| A | | apparatus for internal combustion engines | | 123/90.6 | Seinosuke et al. |
| US 6112042 A | 20000829 | Developing device and developing roller therefor | 399/277 | 148/103; 264/DIG.58 | Imamura; Tsuyoshi et al. |
| US 6070038 A | 20000530 | Developing device and developing roller therefor | 399/277 | 492/8 | Imamura; Tsuyoshi et al. |
| US 6055949 A | 20000502 | Variable valve actuator apparatus | 123/90.16 | 123/90.17; 123/90.6 | Nakamura; Makoto et al. |
| US 6041746 A | 20000328 | Variable valve actuation apparatus | 123/90.16 | 123/90.17; 74/568R | Takemura; Shinichi et al. |
| US 6030457 A | 20000229 | Substrate processing apparatus | 118/715 | 118/729; 118/730; 118/733 | Shimazu; Tomohisa et al. |
| US 6029618 A | 20000229 | Variable valve actuation apparatus | 123/90.16 | 123/90.17; 123/90.33 | Hara; Seinosuke et al. |
| US 5991585 A | 19991123 | Developing device for an image forming apparatus and developing roller therefor | 399/267 | 399/273; 399/277 | Nakamura; Makoto |
| US 5988125 A | 19991123 | Variable valve actuation apparatus for engine | 123/90.16 | 123/90.17; 123/90.6 | Hara; Seinosuke et al. |
| US 5970294 A | 19991019 | Cylindrical structural body for use in an image forming apparatus and method of producing the same | 399/286 | 29/725; 29/895.22; 399/279; 492/47 | Narita; Kenji et al. |
| US 5954159 A | 19990921 | Oil supply structure for a chain adjuster | 184/11.2 | 184/15.1; 474/110 | Nakamura; Makoto |
| US 5920858 A | 19990706 | Personal information managing device capable of systematically managing object data of more than one kind using a single database | 707/4 | 705/8; 707/2; 707/200; 707/3; 715/523 | Kitabayashi; Shinichi et al. |
| US 5920567 A | 19990706 | Network related information transfer method for a connection device, and a data communication system | 370/404 | 370/410 | Saito; Shuichi et al. |
| US 5913292 A | 19990622 | Variable valve timing and lift mechanism of internal combustion engine | 123/90.17 | 123/90.31; 123/90.34 | Takemura; Shinichi et al. |
| US 5878587 A | 19990309 | Absorption cool-warm water machine and method for controlling the same | 62/148 | 62/238.3 | Kojima; Hiroshi et al. |
| US 5875425 A | 19990223 | Speech recognition system for determining a recognition result at an intermediate state | 704/231 | 704/244; 704/245; 704/252 | Nakamura; Makoto et al. |

| | | | | | |
|-----------------|----------|---|-----------|---|-----------------------------|
| | | of processing | | | |
| US 5868956 A | 19990209 | Nozzle for use in continuous casting of steel | 222/606 | 501/89 | Yamamura; Takashi et al. |
| US 5865035 A | 19990202 | Absorption cool-warm water machine and method for controlling the same | 62/236 | 62/148 | Kojima; Hiroshi et al. |
| US 5862679 A | 19990126 | High-temperature regenerator | 62/497 | | Nakamura; Makoto et al. |
| US 5829260 A | 19981103 | Absorption cool-warm water machine and method for controlling the same | 62/148 | 62/141 | Kojima; Hiroshi et al. |
| US 5789133 A | 19980804 | Liquid developer | 430/115 | 430/112 | Yabuuchi; Naoya et al. |
| US 5771352 A | 19980623 | Communication control apparatus and method | 709/227 | 709/225 | Nakamura; Makoto et al. |
| US 5700862 A | 19971223 | Aqueous coating composition | 524/403 | 524/413; 524/437; 524/441; 524/501; 524/507; 524/521; 524/555; 524/558 | Sho; Katsuhiko et al. |
| US 5679094 A | 19971021 | Engine cylinder valve control system | 477/111 | 477/110 | Nakamura; Makoto et al. |
| US 5678414 A | 19971021 | Absorption cool-warm water machine and method for controlling the same | 62/148 | 62/238.3 | Kojima; Hiroshi et al. |
| US 5677595 A | 19971014 | Resistor assembly and electron multiplier using the same | 313/532 | 313/103CM; 313/103R; 313/105CM; 313/105R; 313/528; 313/533 | Sakai; Shirou et al. |
| US 5654380 A | 19970805 | Aliphatic polyester carbonate and process for producing the same | 525/439 | 528/272; 528/275; 528/277; 528/279; 528/281; 528/283; 528/287 | Kawai; Ryoza et al. |
| US 5637585 A | 19970610 | Crystal form of benzodiazepine derivatives | 514/221 | 540/509 | Nakamura; Makoto et al. |
| US 5636603 A | 19970610 | Apparatus for detecting valve lifting characteristic of cam shaft assembly for use in | 123/90.17 | 123/90.31 | Nakamura; Makoto et al. |

| | | | | | |
|-----------------|----------|--|------------|---|----------------------------|
| | | internal combustion engine | | | |
| US 5622144 A | 19970422 | System for operating internal combustion engine | 123/90.15 | 123/90.17 | Nakamura; Makoto et al. |
| US 5609839 A | 19970311 | No.sub.x removal catalyst and method of purifying exhaust gas by using the same | 423/213.2 | 423/212; 423/239.1 | Itoh; Takashi et al. |
| US 5603986 A | 19970218 | Method of preparing microcapsules | 427/213.34 | 264/4.7; 430/137.11; 430/138 | Yabuuchi; Naoya et al. |
| US 5599408 A | 19970204 | Method of producing a structural member | 148/607 | | Fujita; Akitsugu et al. |
| US 5578891 A | 19961126 | Electron multiplier | 313/103R | 250/207; 313/105R; 313/533; 313/536 | Sakai; Shiro et al. |
| US 5566013 A | 19961015 | Liquid crystal display apparatus which prevents bubbles with a spacer density of 201 to 800 mm.sup.2 | 349/155 | | Suzuki; Takumi et al. |
| US 5559072 A | 19960924 | No.sub.x removal catalyst and method of purifying exhaust gas by using the same | 502/347 | | Itoh; Takashi et al. |
| US D372255 S | 19960730 | Video camera with liquid crystal monitor and video tape recorder | D16/202 | | Nakamura; Makoto |
| US 5536771 A | 19960716 | Aqueous crosslinked polymer particles and their production | 524/460 | 523/201; 524/547; 524/556; 524/558; 524/559 | Saito; Koichi et al. |
| US 5531193 A | 19960702 | Intake and exhaust valve control of internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto |
| US 5513026 A | 19960430 | Method of producing a liquid crystal display with a spacer | 349/155 | | Suzuki; Takumi et al. |
| US 5497737 A | 19960312 | Intake and exhaust valves control of internal combustion engine | 123/90.15 | 123/90.16; 123/90.17 | Nakamura; Makoto |
| US 5476796 A | 19951219 | Immunological test method | 436/526 | 210/222; 210/695; 436/805 | Takahashi; Kenji et al. |
| US 5475342 A | 19951212 | Amplifier for stably maintaining a constant output | 330/136 | 327/309; 330/279; 330/280; | Nakamura; Makoto et al. |

| | | | | | |
|-----------------|----------|--|-----------|--|------------------------------|
| | | | | 330/308; 375/317 | |
| US 5470539 A | 19951128 | Continuous polymerization method and apparatus | 422/136 | 422/131; 422/135; 422/138; 422/209; 422/224; 422/225; 526/88 | Imamura; Tsuyoshi et al. |
| US 5446275 A | 19950829 | Electron multiplying device having multiple dynode stages encased by a housing | 250/207 | 250/283; 250/397 | Sakai; Shiro et al. |
| US 5435276 A | 19950725 | Engine cam change-over mechanism | 123/90.16 | 123/90.4; 74/559 | Nakamura; Makoto et al. |
| US 5416787 A | 19950516 | Method and apparatus for encoding and decoding convolutional codes | 714/790 | 714/774; 714/795 | Kodama; Tomoko et al. |
| US 5414305 A | 19950509 | Output circuit having capability of keeping logic state of signal sent between logic circuits | 326/62 | 327/73; 327/95 | Nakamura; Makoto et al. |
| US 5403419 A | 19950404 | Method for making rubbery composite materials by plating a plastic substrate with cobalt | 156/151 | 152/565; 156/910; 428/465; 428/679 | Yoshikawa; Masato et al. |
| US 5378091 A | 19950103 | Method and apparatus for machining a workpiece | 409/132 | 279/20; 407/11; 407/53; 408/1R; 408/226; 408/230; 408/57; 409/136 | Nakamura; Makoto |
| US 5347962 A | 19940920 | Valve mechanism of internal combustion engine | 123/90.16 | 123/90.17 | Nakamura; Makoto et al. |
| US 5340891 A | 19940823 | Continuous polymerization method and apparatus | 526/88 | 422/135; 422/136; 422/209; 422/225 | Imamura; Tsuyoshi et al. |
| US 5333579 A | 19940802 | Control device for controlling intake and exhaust valves of internal combustion engine | 123/90.17 | 123/90.31; 74/568R | Hara; Seinosuke et al. |
| US 5301636 A | 19940412 | Valve operating mechanism of internal combustion engine | 123/90.16 | 123/198F; 123/308; 123/432 | Nakamura; Makoto |

| | | | | | |
|-----------------|----------|--|-----------|---|--------------------------|
| US 5256433 A | 19931026 | Process for improving fish meat quality | 426/289 | 426/643 | Nakamura; Makoto et al. |
| US 5244741 A | 19930914 | Developing roller of monocomponent developing system | 428/461 | 428/458; 428/463; 430/47 | Nagano; Hisatsugu et al. |
| US 5220891 A | 19930622 | Variable cam engine | 123/90.16 | 123/196R; 123/90.33 | Nakamura; Makoto et al. |
| US 5168509 A | 19921201 | Quadrature amplitude modulation communication system with transparent error correction | 375/286 | 375/244; 375/261; 714/756 | Nakamura; Makoto et al. |
| US 5152267 A | 19921006 | Variable cam engine | 123/399 | 123/90.16 | Komatsu; Hiroshi et al. |
| US 5085182 A | 19920204 | Variable valve timing rocker arm arrangement for internal combustion engine | 123/90.16 | 123/90.39 | Nakamura; Makoto et al. |
| US 5080054 A | 19920114 | Rocker arm arrangement for variable timing valve train | 123/90.16 | 123/90.39 | Nakamura; Makoto |
| US 5046462 A | 19910910 | Rocker arm arrangement for variable valve timing type internal combustion engine valve train | 123/90.16 | 123/90.39 | Matayoshi; Yutaka et al. |
| US 5044733 A | 19910903 | Super twisted nematic liquid crystal display device having the standard deviation of the spherical grains being not more than 3% and the dispersion quantity of the spherical grains being 100-200 grains/mm.sup.2 | 349/155 | | Kamoi; Sumio et al. |
| US 5033420 A | 19910723 | Rocker arm arrangement for variable timing type valve train | 123/90.16 | 123/90.12 | Matayoshi; Yutaka et al. |
| US 5027356 A | 19910625 | Error control system | 714/748 | | Nakamura; Makoto et al. |
| US 5019319 A | 19910528 | Golf ball | 473/373 | 260/998.14; 473/371; 473/372; 473/374; 473/377; 524/908 | Nakamura; Makoto et al. |
| US 5006353 A | 19910409 | Process for the production of surimi | 426/231 | 426/643 | Nishi; Norihisa et al. |
| US 4999203 A | 19910312 | Method for producing miso | 426/46 | 426/634 | Fukuyasu; Shigeki et al. |
| US 4984873 | 19910115 | Liquid crystal display device | 349/101 | 349/102; | Takiguchi; |

| | | | | | |
|-----------------|----------|--|-----------|---|---------------------------------|
| A | | | | 349/103; 349/121; 349/181 | Yasuyuki et al. |
| US 4937200 A | 19900626 | Method of effecting immunoassay by using affinity chromatography | 436/518 | 436/161; 436/541; 702/19 | Kumazawa; Toshiaki et al. |
| US 4872932 A | 19891010 | Method for making rubbery composite materials by plating a metal substrate with a cobalt alloy | 156/151 | 152/565; 156/307.7; 156/910; 428/465; 428/679 | Yoshikawa; Masato et al. |
| US 4870022 A | 19890926 | Apparatus and method for producing miso | 99/275 | 435/294.1 | Fukuyasu; Shigeki et al. |
| US 4855229 A | 19890808 | Measurement method of peroxidase activity | 435/28 | 435/188; 435/810 | Kogure; Eriko et al. |
| US 4793691 A | 19881227 | Liquid crystal color display device | 349/71 | 349/106; 349/158 | Enomoto; Takamichi et al. |
| US 4754258 A | 19880628 | Integrated digital circuit for processing speech signal | 341/51 | 341/76; 370/268 | Nakamura; Makoto et al. |
| US 4713044 A | 19871215 | Belt tensioner unit for internal combustion engine or the like | 474/135 | | Nakamura; Makoto et al. |
| US 4688525 A | 19870825 | Hydraulic lash adjuster | 123/90.55 | | Nakamura; Makoto |
| US 4686512 A | 19870811 | Integrated digital circuit for processing speech signal | 341/51 | 341/76; 375/244; 375/245 | Nakamura; Makoto et al. |
| US 4584410 A | 19860422 | Process for the preparation of hydroxybenzaldehydes | 568/436 | 568/437 | Hamada; Kazuhiko et al. |
| US 4568768 A | 19860204 | Process for producing m-hydroxyacetophenone | 568/311 | 568/309; 568/312; 568/315; 568/322 | Nakamura; Makoto et al. |
| US 4552689 A | 19851112 | Electrically conductive inorganic filler containing propylene polymer compositions | 252/511 | 505/802; 524/426; 524/427; 524/449; 524/451; 524/496; 524/525; 524/528 | Yui; Hiroshi et al. |
| US 4505236 A | 19850319 | Valve operating arrangement of an internal combustion engine | 123/90.27 | 123/90.34 | Nakamura; Makoto |
| US 4504617 | 19850312 | Inorganic filler containing | 524/426 | 505/801; | Yui; Hiroshi et |

| | | | | | |
|-----------------|----------|--|-----------|---|-------------------------|
| A | | propylene polymer compositions | | 524/427; 524/449; 524/451; 524/525; 524/528 | al. |
| US 4470668 A | 19840911 | Reaction setting, polymer, sealing material for liquid crystal displays | 349/153 | 349/155; 349/158; 525/478 | Inoue; Hiroshi et al. |
| US 4469899 A | 19840904 | Process for producing phloroglucin | 568/768 | 568/763; 568/771; 568/798; 568/803 | Nakamura; Makoto et al. |
| US 4463714 A | 19840807 | Hydraulic lifter | 123/90.57 | 123/90.46; 123/90.52; 123/90.55 | Nakamura; Makoto |
| US 4463199 A | 19840731 | Method for producing phloroglucin | 568/768 | 568/754; 568/763; 568/798 | Chiyoda; Tsutomu et al. |
| US 4463197 A | 19840731 | Method for purifying phloroglucin | 568/754 | 568/753; 568/763; 568/768 | Nakamura; Makoto et al. |
| US 4455440 A | 19840619 | Method for producing 1,3,5-triisopropylbenzene trihydroperoxides | 568/565 | 568/569; 568/570; 568/571 | Chiyoda; Tsutomu et al. |
| US 4401064 A | 19830830 | Rocker arm fitting structure | 123/90.39 | 123/90.34; 123/90.44 | Nakamura; Makoto et al. |
| US 4389540 A | 19830621 | Adaptive linear prediction filters | 704/246 | 708/318 | Nakamura; Makoto et al. |
| US 4305152 A | 19811208 | Security communication system | 380/274 | 375/363; 380/261; 380/276; 380/38 | Asakawa; Shigeru et al. |
| US 4297508 A | 19811027 | Process for producing 2 hydroxy-naphthalene-3-carboxylic acid | 562/425 | | Maegawa; Yuzo et al. |
| US 4268362 A | 19810519 | Method for purifying acetic acid | 203/28 | 203/71; 203/DIG.19; 562/608 | Ogawa; Tetsuya et al. |
| US 4159399 A | 19790626 | Security communication system using polarity inversion | 380/260 | | Asakawa; Shigeru et al. |
| US 4081344 A | 19780328 | Method for electrodeposition repair coating of the end of an easy-open can | 205/711 | 204/477; 204/489 | Shindou; Yoshio et al. |
| US 3915756 A | 19751028 | Process of manufacturing cast steel marine propellers | 148/542 | 148/325; 148/327; | Oda; Teishiro et al. |

| | | | | | |
|-----------------|----------|--|---------|--|------------------------------|
| | | | | 148/548; 420/38 | |
| US 3661658 A | 19720509 | HIGH-STRENGTH AND HIGH-TOUGHNESS CAST STEEL FOR PROPELLERS AND METHOD FOR MAKING PROPELLERS OF SAID CAST STEEL | 148/542 | 148/548; 29/889.6; 416/213A; 416/213R; 416/241R; 420/107; 420/37; 420/38; 420/39; 428/683 | Oda; Teishiro et al. |
| US 3650845 A | 19720321 | METHOD OF MANUFACTURE OF STEEL TURBINE BLADES | 148/506 | 148/542; 148/548; 148/607; 416/241R; 420/107; 420/38 | Oda; Teishiro et al. |
| US 3613540 A | 19711019 | FILM COUNTER CHANGEOVER DEVICE FOR DIFFERENT KINDS OF FILM HAVING DIFFERENT FRAMES | 396/396 | 396/440 | Nakamura; Makoto |
| US 3503881 A | 19700331 | LIQUID DEVELOPER FOR ELECTROPHOTOGRAPHY [TEXT AVAILABLE IN USOCR DATABASE] | 430/114 | 430/115; 430/904 | GOTO TOSHINAO et al. |
| US 3486886 A | 19691230 | COBALT BASE ALLOY [TEXT AVAILABLE IN USOCR DATABASE] | 420/435 | | NAKAMURA MAKOTO et al. |
| US 3474715 A | 19691028 | DEVICE FOR ELEVATING AND LOWERING THE REFLECTING MIRROR OF SINGLE LENS REFLEX CAMERAS [TEXT AVAILABLE IN USOCR DATABASE] | 396/356 | | NAKAMURA MAKOTO |
| US 3451322 A | 19690624 | SINGLE LENS REFLEX CAMERA FOR ROLL- FILM [TEXT AVAILABLE IN USOCR DATABASE] | 396/355 | 396/360; 396/411; 396/513; 396/535 | NAKAMURA MAKOTO et al. |